

Utah Weekly Pertussis Update

2018 data, through MMWR week ending September 1, 2018 (MMWR week 35)


Data presented in this report are based on current data available and will be subject to change weekly.

Data Summary

Total number of cases reported, 2018 year-to-date (YTD)	309	Utah Incidence rate, 2018 year-to-date (YTD) per 100,000 person-years	15.1
Total number of cases reported 2017	439	Utah Incidence rate, 2017 per 100,000 person-years	14.6
Number of cases reported in past week	4	National Incidence rate*, 2016 per 100,000 person-years.	4.7
Total number of cases reported, through same time period 2017	354	2018 Hospitalizations	14
Age groups with the highest rates	<1	2018 Cases in infants <1 year	19
	15 - 24		

*National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

Number of cases reported by week



*Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

2018 Year-to-Date Incidence Rates, By Age

Age (years)	2018 Cases	2016 population	Rate*
<1	19	51,162	55.3
1-4	32	202,288	23.6
5-14	76	520,247	21.8
15-24	90	491,359	27.3
25-34	17	448,845	5.6
35-44	27	410,933	9.8
45-54	25	314,060	11.9
55-64	7	291,159	3.6
65+	16	321,164	7.4
Unknown	0	-	-
Total	309	3,051,217	15.1

* Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

School Age Incidence Rates, 2018 Year-to-Date

Grade	Age (years)	2018 Cases	2016 Population	Rate*
Preschool	3-4	11	100,804	16.3
Kindergarten	5	7	50,541	20.6
1	6	7	52,444	19.9
2	7	5	52,797	14.1
3	8	9	53,837	24.9
4	9	6	53,515	16.7
5	10	9	52,433	25.6
6	11	7	52,420	19.9
7	12	8	51,616	23.1
8	13	8	51,136	23.3
9	14	10	49,508	30.1
10	15	23	49,763	68.9
11	16	31	49,882	92.6
12	17	16	48,431	49.2

* Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waning immunity.

Utah Case Counts of Pertussis, 2013-2018* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

* 2018 data includes pertussis cases reported year to date. 2013-2017 data reflects cases reported during the entire calendar year for each year.

Incidence of Pertussis by Local Health Department, 2018 YTD

Local Health Department	2018 Cases	Rate*
Bear River	27	22.6
Central Utah	1	1.9
Davis County	33	14.4
Salt Lake County	132	17.5
San Juan County	0	0.0
Southeast Utah	1	3.7
Southwest Utah	8	5.2
Summit County	3	11.1
Tooele County	1	2.3
TriCounty	1	2.6
Utah County	65	16.3
Wasatch County	4	19.5
Weber-Morgan	33	19.0

* Rate is calculated per 100,000 person-years using 2016 Utah population estimates.

